



# greenteQ käepidemete hinnakiri

2018



# Alati Teiega – VBH täiustatud teenustepakett.

**Rohkem tooteid, rohkem kaubamärke, rohkem väärtust.**

**Lihtsalt kõike**, mida Te vajate akende ja uste tootmiseks ning paigaldamiseks. Seejuures on meile eriti oluline, et sõnaga “kõik” kaasneks kvaliteet, et tagada Teile selle valdkonna põhjalikeim sortiment, millel on läbivalt usaldusväärne kvaliteet. Täna esindame ligi 70 hankijat üle 9000 tootega ning pakume täiendust neile oma uuendusliku greenteQ tootevalikuga.

**Kõike lihtsalt**, alates esimesest kontaktist kuni igapäevase koostööni.

Me mõistame ja aitame Teid asjatundlikult, pädeva nõustamise, innovaatiliste teenuste ja efektiivsete protsessidega. Meie poolt pakutavad uuenduslikud ja efektiivsed suhtlus- ja tellimislahendused e-Pood ja skanner on turvalised ja usaldusväärsed. Igasuguse VBH-poolse

tugiteenuse eesmärgiks on hõlbustada Teie igapäevast tööd.

Ülemaailmse edasimüüjate võrguga on VBH kõikjal esindatud - mitmel viisil ja erinevate meediumide abil alati kättesaadav.

VBH täiustatud teenustepaketile võite alati kindlad olla.





# greenteQ Pull handle TG 10.ER.GS

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 10.ER.GS; with straight stilts; diameter of handle bar 32 mm; diameter of stilts 25 mm; fixing system BA 15 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle bar	32 mm
Diameter of stilts	25 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Length / Dimension	VBH Item Number
330 / 210 mm	374.333 / 6500
400 / 300 mm	320.345 / 6500
500 / 300 mm	318.654 / 6500
600 / 400 mm	332.109 / 6500
800 / 560 mm	332.111 / 6500
1000 / 700 mm	332.113 / 6500
1200 / 900 mm	332.114 / 6500
1400 / 1000 mm	332.116 / 6500
1600 / 1200 mm	332.118 / 6500
1800 / 1300 mm	332.119 / 6500

# PRODUCT DATA SHEET



DOOR HARDWARE - greenteQ Pull handle TG 10.ER.GS

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.



# greenteQ Pull handle TG 10.ER.GS 45°

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 10.ER.GS; with 45° angle stilts; diameter of handle bar 32 mm; diameter of stilts 25 mm; fixing system BA 15 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle bar	32 mm
Diameter of 45°-stilts	25 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Length / Dimension	VBH Item Number
330 / 210 mm	374.334 / 6500
400 / 300 mm	344.713 / 6500
500 / 300 mm	344.715 / 6500
600 / 400 mm	344.716 / 6500
800 / 560 mm	344.718 / 6500
1000 / 700 mm	344.723 / 6500
1200 / 900 mm	344.727 / 6500
1400 / 1000 mm	374.335 / 6500
1600 / 1200 mm	374.336 / 6500
1800 / 1300 mm	374.337 / 6500

## PRODUCT DATA SHEET

greenteQ

DOOR HARDWARE - greenteQ Pull handle TG 10.ER.GS 45°

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.



# greenteQ Pull handle TG 10.ER.GS 45° with ext. stilts

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 10.ER.GS; with 45° angle, extended stilts; diameter of handle bar 32 mm; diameter of stilts 25 mm; fixing system BA 15 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle bar	32 mm
Diameter of 45°- extended stilts	25 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Length / Dimension	VBH Item Number
400 / 300 mm	380.855 / 6500
600 / 400 mm	380.856 / 6500

## PRODUCT DATA SHEET

greenteQ

DOOR HARDWARE - greenteQ Pull handle TG 10.ER.GS 45° with extended stilts

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.



# greenteQ Pull handle TG 11.ER.GS 45°

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 11.ER.GS; with milled points with 45° angle stilts; diameter of handle bar 32 mm; diameter of stilts 25 mm; fixing system BA 15 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle bar	32 mm
Diameter of 45° - stilts	25 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Length / Dimension	VBH Item Number
400 / 300 mm	381.614 / 6500
500 / 300 mm	377.414 / 6500
600 / 400 mm	381.615 / 6500

## PRODUCT DATA SHEET

greenteQ

DOOR HARDWARE - greenteQ Pull handle TG 11.ER.GS 45°

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.



# greenteQ Pull handle TG 12.ER

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

Properties:

greenteQ pull handle TG 12.ER; with straight stilts; diameter of handle bar 32 mm; diameter of stilts 25 mm; fixing system BA 15 not included; stainless steel matt brushed.

Product picture and technical drawing:



Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle bar	32 mm
Diameter of stilts	25 mm
Prepared of fixing system BA 15	separate
Packaging unit	1 piece

Length / Dimension / Width	VBH Item Number
400 / 300 / 52 mm	381.451 / 6500
800 / 695 / 117 mm	381.450 / 6500

## PRODUCT DATA SHEET



# Q Pull handle TG 12.ER 45°

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.



Properties:

Q

greenteQ pull handle TG 12.ER; with 45° angle stilts; diameter of handle bar 32 mm; diameter of stilts 25 mm; fixing system BA 15 not included; stainless steel matt brushed.

Product picture and technical drawing:

Q



Technical data:

Q

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle bar	32 mm
Diameter of 45°- stilts	25 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Length / Dimension / Width	VBH Item Number
400 / 300 / 110 mm	388.438 / 6500
800 / 560 / 142 mm	388.439 / 6500

## PRODUCT DATA SHEET





# greenteQ Pull handle TG 10.ER.GKL

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

Properties:

greenteQ pull handle TG 10.ER.GKL; diameter of handle 32 mm;  
dimension 300 mm or 350 mm; fixing system BA 15 not included; stainless steel  
matt brushed.

Product picture and technical drawing:



Technical drawing:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle	32 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Dimension	VBH Item Number
300 mm	312.885 / 6500
350 mm	312.886 / 6500

## PRODUCT DATA SHEET





# greenteQ Pull handle TG 10.ER.GKW

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

Properties:

greenteQ pull handle TG 10.ER.GKW; diameter of handle 32 mm; dimension 300 mm or 350 mm; fixing system BA 15 not included; stainless steel matt brushed.

Product picture and technical drawing:



Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle	32 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Dimension	VBH Item Number
300 mm	312.887 / 6500
350 mm	312.890 / 6500

## PRODUCT DATA SHEET




# greenteQ Pull handle TG 10.ER.GKH

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 10.ER.GKH; diameter of handle 32 mm; dimension 300 mm or 350 mm; fixing system BA 15 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle	32 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Dimension	VBH Item Number
300 mm	312.894 / 6500
350 mm	312.896 / 6500

## PRODUCT DATA SHEET

greenteQ

DOOR HARDWARE - greenteQ Pull handle TG 10.ER.GKH

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.

# greenteQ Pull handle TG 10.ER.GB

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.


Properties:

Q

greenteQ pull handle TG 10.ER.GB; diameter of handle 32 mm; dimension 300 mm or 350 mm; fixing system BA 15 not included; stainless steel matt brushed.

Product picture and technical drawing:

Q



Technical data:

Q

Material	Stainless steel (steel number 1.4301 )
Surface	matt brushed
Diameter of handle	32 mm
Prepared for fixing system BA 15	separate
Packaging unit	1 piece

Dimension	VBH Item Number
300 mm	318.655 / 6500
350 mm	318.656 / 6500

## PRODUCT DATA SHEET




# greenteQ Pull handle TG 189.ER.GKS

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 189.ER.GKS; diameter of handle 27 mm; total length 320 mm; dimension 210 mm; fixing set No. 5 or No. 7 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle	27 mm
Prepared for fixing set No. 5 or No. 7	separate
Packaging unit	1 piece

Dimension	VBH Item Number
210 mm	315.387 / 6500

## PRODUCT DATA SHEET

DOOR HARDWARE - greenteQ Pull handle TG 189.ER.GKS

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

greenteQ



# greenteQ Pull handle TG 191.ER.GKS

greenteQ stainless steel pull handles, for single-sided or pairwise use, on in- and exterior doors.

## Properties:

greenteQ pull handle TG 191.ER.GKS; diameter of handle 27 mm; total length 315 mm; dimension 210 mm; fixing set No. 5 or No. 7 not included; stainless steel matt brushed.

## Product picture and technical drawing:



## Technical data:

Material	Stainless steel (steel number 1.4301)
Surface	matt brushed
Diameter of handle	27 mm
Prepared for fixing set No. 5 or No. 7	separate
Packaging unit	1 piece

Dimension	VBH Item Number
210 mm	315.388 / 6500

## PRODUCT DATA SHEET

DOOR HARDWARE - greenteQ Pull handle TG 191.ER.GKS

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

greenteQ

# greenteQ Pull handle fixing system BA 15.EU.H/K/A

greenteQ pull handle fixations for a solid and durable mounting of the the pull handles.

## Properties:

greenteQ pull handle fixing system BA 15.EU.H/K/A; for single-sided, invisible fixing on wooden-, PVC- and aluminium doors; bore diameter 10 mm; length of thread 20, 25, 30, 35, 45 or 55 mm.

## Product picture:



## Technical data:

Material	galvanized steel
Fixing of handle	single-sided
For door material	wood / PVC / aluminium
Bore diameter	10 mm
For door handles	TG 10... / TG 11... / TG 12...
Packaging unit	1 piece
(for 1 fixing point; for 1 handle 2 pieces required)	
Length of thread	VBH Item Number
20 mm	381.257 / 0000
25 mm	382.975 / 0000
30 mm	381.258 / 0000
35 mm	381.259 / 0000
45 mm	381.260 / 0000
55 mm	383.289 / 0000

## PRODUCT DATA SHEET

greenteQ

DOOR HARDWARE - greenteQ Pull handle fixing system BA 15.EU.H/K/A

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.


# greenteQ Pull handle fixing system BA 15.PR.H/K/A

greenteQ pull handle fixations for a solid and durable mounting of the the pull handles.

Properties:

greenteQ pull handle fixing system BA 15.PR.H/K/A; for pairwise fixing on wooden-, PVC- and aluminium doors; door thickness up to 80 mm.

Product picture:



Technical data:

Material	galvanized steel / brass
Fixing of handle	pairwise
For door material	wood / PVC / aluminium
Bore diameter	M8
Door thickness	up to 80 mm
Packaging unit	1 set

(for 1 pair handles with 4 fixing points)

VBH Item Number
385.334 / 0001

## PRODUCT DATA SHEET




# greenteQ Pull handle fixing system BA 15.PR.G

greenteQ pull handle fixations for a solid and durable mounting of the the pull handles.

## Properties:

greenteQ pull handle fixing system BA 15.PR.G; for pairwise fixing on glass doors; bore diameter 13 mm; glass thickness 8 - 12 mm.

## Product picture:



## Technical data:

Material	galvanized steel / brass / plastic
Fixing of handle	pairwise
For door material	glass
Bore diameter	13 mm
Door thickness	8 - 12 mm
Packaging unit	1 set

(for 1 pair of handles with 4 fixing points)

VBH Item Number
385.333 / 0001

## PRODUCT DATA SHEET

DOOR HARDWARE - greenteQ Pull handle fixing system BA 15.PR.G

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

greenteQ


# greenteQ Pull handle fixing system BA 15.ES.G

greenteQ pull handle fixations for a solid and durable mounting of the the pull handles.

## Properties:

greenteQ pull handle fixing system BA 15.ES.G; for single-sided, through-fixing on glass door; bore diameter 13 mm; glass thickness 8 - 12 mm.

## Product picture:



## Technical data:

Material	galvanized steel / brass / plastic
Fixing of handle	single-sided, through-fixing
For door material	glass
Bore diameter	13 mm
Door thickness	8 - 12 mm
For pull handles	TG 10... / TG 11... / TG 12...
Packaging unit	1 set

(for 1 handle with 2 fixing points)

VBH Item Number

385.333 / 0002

## PRODUCT DATA SHEET

DOOR HARDWARE - greenteQ Pull handle fixing system BA 15.ES.G

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

greenteQ

# greenteQ Pull handle fixing system BA 15.ES.H/K/A

greenteQ pull handle fixations for a solid and durable mounting of the the pull handles.

## Properties:

greenteQ pull handle fixing system BA 15.ES.H/K/A; for single-sided fixing through-fixing on wooden-, PVC- and aluminium doors; door thickness to 80 mm.

## Product picture:



## Technical data:

Material	Stainless steel / galvanized steel / brass
Fixing of handle	single-sided, through-fixing
For door material	wood / PVC / aluminium
Bore dimension	M8
Door thickness	up to 80 mm
For door handles	TG 10... / TG 11... / TG 12...
Packaging unit	1 set

(for 1 handle with 2 fixing points)

VBH Item Number

312.937 / 0000

## PRODUCT DATA SHEET

greenteQ

DOOR HARDWARE - greenteQ Pull handle fixing system BA 15.ES.H/K/A

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.


# greenteQ Pull handle fixing system BA 15.EU.H

greenteQ pull handle fixations for a solid and durable mounting of the the pull handles.

## Properties:

greenteQ pull handle fixing system BA 15.EU.H; with Rampa-bushing; for single-sided, invisible fixing on wooden doors.

## Product picture:



## Technical data:

Material	galvanized steel / brass
Fixing of handle	single-sided
For door material	wood
With Rampa-bushing	M8 / 14,5 x 25 mm
For door handles	TG 10... / TG 11... / TG 12...
Packaging unit	1 set
(for 1 handle with 2 fixing points)	
VBH Item Number	
385.334 / 0002	

## PRODUCT DATA SHEET

DOOR HARDWARE - greenteQ Pull handle fixing system BA 15.EU.H

Instructions for use, performance and product data, and all other technical data for greenteQ products are general guidelines only. They describe the performance characteristics and material composition of our products. However, they constitute no guarantee according to § 443 BGB. Due to the various application possibilities it is the user's sole responsibility to satisfy himself that the product is adequate for his intended purpose. Any technical consultation with VBH, whether verbal, written or in the form of test samples is for your information only and is absolutely non-committal.

Edition 08/2018 | [www.vbh.de](http://www.vbh.de)

greenteQ

# VBH ESTONIA AS

Läike tee 12  
75301 Rae vald, Harjumaa

Telefon +372 640 1331  
Telefax +372 640 1330  
E-mail: [info@vbh.ee](mailto:info@vbh.ee)  
Tellimused: [orders@vbh.ee](mailto:orders@vbh.ee)  
E-pood: [www.vbh24.ee](http://www.vbh24.ee)



## Priit Künnapuu

Terase-, klaasi- ja  
alumiiniumiüksuse tootejuht


Telefon +372 640 1331  
Faks +372 640 1330  
Mobiil +372 5306 3325  
Skype priit.kynnapuu  
E-Mail [priit.kynnapuu@vbh.ee](mailto:priit.kynnapuu@vbh.ee)

VBH Estonia AS  
VBH Grupi liige  
Läike tee 12, Peetri  
75301 Rae vald, Harjumaa  
[www.vbh.ee](http://www.vbh.ee) | [www.vbh24.ee](http://www.vbh24.ee)



### Akna- ja uksetarvikute ekspertkaubamärk

- Rohkem valikuid
- Rohkem teenuseid
- Rohkem kaubamärke
- Rohkem kvaliteeti



- Rohkem nõuandeid
- Rohkem lähedust
- Rohkem kogemust
- Rohkem turvalisust